



## 3.3.1 STEP 3 - VIEWING AND SHARING YOUR TRAINING ON WEB PAGES

### UPDATE THE MULTILINGUAL NAVIGATION

The first set is to update the **mkdocs.yml** file.

#### 1 - Create the new language for the navigation tab

Add the new language after the existing ones using the same script.

```
54     | generator: false
55     | alternate:
56     |   - name: English
57     |     link: ./
58     |     lang: en
59     |   - name: Français
60     |     link: ./fr/
61     |     lang: fr
62     |   - name: Italiano
63     |     link: ./it/
64     |     lang: it
65     |   - name: Deutsch
66     |     link: ./de/
67     |     lang: de
68     |   - name: Slovenščina
69     |     link: ./sl/
70     |     lang: sl
```

*Script of languages setting in the .yml document.*

- **name** : name of the language as it will appear in the navigation tab
- **link** : extension of all pages static web pages in the new language
- **lang** : ID used at the end of each markdown file for a single language

 For adding Spanish to the navigation tab

- **name** : Español
- **link** : ./es/
- **lang** : es

#### 2 - Translate titles and contents



☰ Add new entries with the new language id: here **es** for **spanish**. **All existing navigation has to be provided in the new target language**


🏠 Use **es** for **spanish**

```
425 "Mooc and on-line resources about AI and AI&Education": "Mooc in spletni viri o umetni inteligenci ter
426 "AI4T resources presentation": "Predstavitev virov AI4T"
427 "AI Tools for the LSEP": "Orodja UI za eksperimentiranje"
428 "Partners Resources": "Viri za partnerje"
429 es:
430 "Home": "Inicio"
431 "Explore and support the use of AI in education": "Explorar y apoyar el uso de la IA en la educación"
432 "OnLine Self Training": "Autoformación en línea"
433 "General Presentation": "Presentación general"
434 "0.1 What does this training offer us?": "0.1 ¿Qué nos ofrece esta formación?"
435 "0.2 Conditions of use": "0.2 Condiciones de uso"
```

*Example of script adaptation to provide navigation in spanish.*

## HOW TO GENERATE THE STATIC WEB PAGES

Using GitHub pages, it is possible to generate static web pages and consult all the resources of the Mooc using a web browser. On your GitHub project page, you can display the predefined address of the static web pages as [YOURNAME[.GitHub.io/ai4t/]




*Access to the predefined address of the static webpages and localisation of action tab.*

- 1 Access the visualisation of the GitHub pages.
- 2 Action tab : place to go to generate the static web pages.



Icone Setting tab : update to make before going to **Action**- the action tab.




Access to the setting for the commit of github-pages.



Icone Once in the setting, choose the Pages tab.



Click on the button to commit changes in the gh-pages.



How to generate a new workflow in the action tab.

In order to generate the workflow, select the 3 elements in the order shown above.

It take time (several minutes) for the task to be completed. Then there is a time lag with the generation of static web pages, so you have to wait a little before you can view them on **YOURNAME.GitHub.io/ai4t/**.



These instructions are a very simplified presentation of how to view Github pages. For more details, consult the official git documentation: <https://pages.GitHub.com/>